

Listing of Claims

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

1. (currently amended) A method for generating Bursting-messages on the window of a ~~user's~~ Web-terminal while ~~browsing~~ a user browses a Web-site from said Web-terminal, comprising the steps of:
 - a) Providing indication related to the connection of said user to said Web-site;
 - b) ~~Sending~~ determining an identification of said user, and sending data required for generating a Burst-message on said Web-terminal to the Web-terminal of said identified user, said data including content and at least one of script and executable file for generating said Burst message on said Web terminal;
 - c) Generating a Burst-message on said Web-terminal using said data.
2. (currently amended) A method according to claim 1, further comprising providing to said user, interaction means in said Burst-message, for the interaction of said user with at least one of said Burst-message ~~and/or with~~ and said Web-site.
3. (currently amended) A method according to claim 1 or 2, wherein said Burst-message is generated by dynamically writing ~~an HTML layer and/or~~ at least one of JavaScript ~~and/or~~ and VBS script.
4. (currently amended) A method according to claim 1 or 2, wherein the data required for generating a Burst-

message is sent to said Web-terminal in the time periods when ~~potentially~~ no other data is downloaded into said Web-terminal from said Web-site.

5. (currently amended) A method according to claim 1 ~~or 3~~, further comprising storing said sent data in said Web-terminal prior to the display of said Burst-message.
6. (original) A method according to claim 2, wherein said Burst-message provides link(s) to one or more Web-site(s).
7. (original) A method according to claim 1 or 2, wherein said indication is provided by executing a software component embedded in Web-page(s) of said Web-site, browsed by said user.
8. (original) A method according to claim 1 or 2, wherein said identification is carried out by using the IP address of said user.
9. (currently amended) A method according to claim 1 or 2, wherein the data required for generating a Burst-message is a software component(s), ~~and/or~~ multimedia data ~~and/or~~ and textual data.
10. (currently amended) A method according to claim ~~1 or 2~~, 9 wherein said Burst-message is generated on said Web-terminal by at least one of executing said software component(s) ~~and/or~~ and displaying one or more components of said multimedia data.

11. (original) A method according to claim 1 or 2, wherein said Web-terminal is a computer.
12. (original) A method according to claim 1 or 2, wherein said Web-terminal is a set-top box.
13. (original) A method according to claim 1 or 2, wherein said Web-terminal is a device able to execute a DHTML page.
14. (original) A method according to claim 1 or 2, wherein said Burst-message is interactive or passive.
15. (original) A method according to claim 1 or 2, wherein said Burst-message is terminated as a result of a predefined event.
16. (original) A method according to claim 1 or 2, wherein said Burst-message is terminated as a result of an input from said user.
17. (original) A method according to claim 1 or 2, wherein said Burst-message comprises entertainment components.
18. (original) A method according to claim 1 or 2, wherein said Burst-message comprises advertising components.
19. (original) A method according to claim 1 or 2, wherein said Burst-message comprises chat components.
20. (currently amended) A system for generating Bursting-messages, comprising:

A web-terminal ~~for displaying Burst-messages;~~
A Web-server for storing files and software components
required for the operation of ~~said a~~ Web-site, for
indicating the presence of a user browsing said Web-
site from said Web-terminal and for identifying said
user by ~~its~~ an IP address of said web-terminal;
A Burst-server for storing ~~the~~ Burst-messages data,
wherein upon request, said Burst-server sends said Burst-
messages data including content and executional
files needed at least one of script and executable
file for the generation of said Burst-messages on
said Web-terminal.

21. (original) A system according to claim 20, wherein said Web-terminal is a computer.
22. (original) A system according to claim 20, wherein said Web-terminal is a set-top box.
23. (original) A system according to claim 20, wherein said Web-terminal is a device able to execute DHTML pages.